

# MOPEC MG100

STANDARD FEATURES	OPTIONS
<p>ERGO FRIENDLY            UNIVERSAL STYLE STATION – RIGHT OR LEFT            SELECT GRID PLATE STYLES (2 OPTIONS)            ALUMINUM TRACK            INCH/CM RULER            FAS FRESH AIR SYSTEM            SIDE DRAFT AIR DEFLECTOR PANELS            PRE-FILTER            ORGANIZER BINS (2)            LED LIGHTING            DUAL H/C WATER FIXTURE SPRAY HOSE            BUILT IN TABLE FLUSH SYSTEM            MAGNETIC INSTRUMENT BAR            PAPER TOWEL HOLDER            ADJUSTABLE STORAGE SHELVING (4)            VENTILATED TRASH CONTAINER            ELECTRICAL RECEPTACLES (2)            COMMUNICATION PORT (2)            COMMUNICATION WIRE CHASE</p>	<p>MO073 MAGNIFIER FOR LED LIGHT            MO068 COMPUTER CPU BRACKET FOR MG100            MO063 VIDEO OR STILL CAMERA ARM            MO070 LCD FLAT SCREEN/KEYBOARD SUPPORT            MO066 KEYBOARD SUPPORT FOR MG100            MO076 WRITING LEDGE AND DRAWER            MO070 LITERATURE FORM HOLDER            MO062 SAFETY SPLASH SHIELD FOR MG100            MO065 FORMALIN COLLECTION SYSTEM            MO067 FORMALIN DISPENSING SYSTEM            MO074 PNEUMATIC FOOT PEDAL            UO003 LED GOOSENECK TASK LIGHT            SA100 SEISMICS ANCHORING SYSTEM</p>

**DIMENSIONS:**

- \* Overall Dimensions: 77.25 H (196cm) x 72 W (182cm) x 37.75 (95.8cm) Deep
- \* Lowest Position (Top of work surface) 31.25" (79.3cm)
- \* Highest Position (Top of work surface) 43.25" (109.6cm)

**STANDARD FEATURES:**

**Ergo Friendly:** Full range up/down elevating easily allows the user to adapt station to his/or her needs. Sit or stand with a desk chair or a laboratory stool. The deep knee space allows for comfortable sitting and standing positions. The elevating system also allows the user to adapt to his/her comfort range. All rounded edges where wrists rest allows for a more comfortable grossing environment.

**Universal Style Station.** Can easily change from a right hand unit to a left hand unit within minutes. No tools required.

**Select Grid Plate Styles - Option 1 or Option 2**

**OPTION 1-** (1) One Perforated Grid Plate (1) One Sink Grid Plate (1) One Perforated Grid Plate with Inset Blue Cutting Board

**OPTION 2-** (1) One Solid Stainless Steel Plate, (1) One Sink Grid Plate, (1) One Solid Stainless Steel Grid Plate with Inset Blue Cutting Board.

\* **Grid Plates:** Dimensions: 20.5 (52cm) x 22.5 (55cm) x 1" Deep

\* **Sink:** Dimensions 18-1/2" (46cm) x 18 (45cm) x 4 (10cm) deep

**Aluminum Track:** (2ea) Two mounting positions for use with camera/video.

**Inch/CM Ruler:** Each grid plate has a built in scale with a tapered edge allowing for easy reading and photos.

**FAS Fresh Air System:** Provides fresh supply air on leading edge across the cutting area creating an air sheet allowing for complete fume evacuation.

**Side Draft Air Deflector Panels:** High glass side air deflector panels that help eliminate cross drafts from pushing fumes into the user and room. The side air deflectors are movable and slide within the support mullions.

**Pre-Filter:** (1) One Merv type

**Organizer Bins:** (1) large and (1) small bin. Stainless Steel Construction.

**LED Lighting:** High efficiency lighting of the grossing work area providing the highest color rendering index, low electrical consumption and safe no UV lighting exposure. Green friendly.

**Dual H/C Water Fixture Spray Hose:** (2ea) The water fixture is touch control. Once the water temperature is adjusted, grasping of the fixture is no longer necessary. Simple slight touch of your hand or wrist will turn the water on/off. The fixture includes a built in spray head with retractable hose for either soft spray or aerated water flow .Two each provided, one on each side of the grossing station.

**Built In Table Flush System:** Integrally built in work surface flush system. The flush system provides a continuous flow of water over the sink area where the grid plates are elevated above, eliminating the accumulation of debris.

**Magnetic Instrument Bar:** 12" (30cm) Long x 1-1/2" (3cm) Wide

**Paper Towel Holder:** The towel holder is designed to support roll and C-Fold style towels.

**Adjustable Storage Shelving:** (4) Four 14"(35cm) storage shelves provided with adjustable mounting brackets.

**Ventilated Trash Container:** Trash container is self contained under the working surface and can be easily moved from the right side to the left side in minutes. No tools required.

**Electrical Receptacles:** (2ea) Two GFCI type duplex electrical receptacles provided on the upper canopy for easy and convenient access to connect electrical peripheral.

**Communication Port:** (2ea) Two Ethernet receptacles allow for connection to in-house network. (Requires facility network tie-in) located on upper canopy.

**Communication Wire Chase:** (2ea) Two Conduit organizes network cables. Located on upper canopy. See catalog pages 146 through 151 for further details

## **OPTIONS**

### **MO073 MAGNIFIER FOR LED LIGHT**

- \* Dimension: 4" H x 5-5/6" W
- \* Poly magnifier with 2X magnification
- \* One (1) each provided.

### **MO068 COMPUTER CPU BRACKET FOR MG100**

- \* Adjustable size mounting bracket for CPU
- \* Keyed to mounting plate w/two (2) pins for easy removal or installation
- \* Computer not included.

### **MO063 VIDEO OR STILL CAMERA ARTICULATING ARM FOR MG100**

- \* Articulating arm slides the full length of unit on aluminum track.
- \* Two track positions provided.
- \* Unique articulating arm will lock all three joints simultaneously.
- \* Allows for easy and effortless positioning of the video camera exactly to the desired position.
- \* Standard bayonet mount allows the adaption to any camera.
- \* Cameras are not included

### **MO070 LCD FLAT SCREEN/KEYBOARD SUPPORT FOR MG100**

- \* LCD Flat screen/keyboard support with slide mount.
- \* Allows for full range of motion right/left, up/down and tilt.
- \* Located within the interior of the grossing station eliminating the obstruction of adjacent equipment and space requirements.
- \* Computer is not included

### **MO066 KEYBOARD SUPPORT FOR MG100-LOW POSITION**

- \* Keyboard support with slide mount in the lowest position.
- \* Allows for full range of motion right/left, up/down and tilt.
- \* Located within the interior of the grossing station eliminating the obstruction of adjacent equipment and space requirements.
- \* Computer is not included

### **MO076 WRITING LEDGE AND DRAWER**

- \* Convenient pull out writing ledge and utility drawer.
- \* Stainless Steel
- \* Placement (opposite side of ventilated trash can)

### **MO062 SAFETY SPLASH SHIELD FOR MG100**

- \* 11" x 12" Lexan shield on flexible arm for easy positioning
- \* Removable

### **MO067**

#### **FORMALIN DISPENSING SYSTEM CARBOY STYLE FOR MG100**

- \* Dispensing system is contained within the grossing station.
- \* Includes pump and backslash mounted valve with indicator lights for high/low formalin liquid levels in carboy

- \* Easy to fill carboy through fill port, includes funnel
- \* Does not include the formalin collection system or formalin

#### **MO074 PNEUMATIC FOOT PEDAL/FORMALIN DISPENSING SYSTEM**

- \* Toggle on/off, foot operated

#### **UO003 LED GOOSENECK TASK LIGHT**

- \* Deck Mount
- \* Bright white
- \* 3100 Degrees K
- \* Accurate color rendering
- \* Energy Efficient

#### **SA100 SEISMICS ANCHORING SYSTEM**

Please note:

DICTATION EQUIPMENT STAND NO LONGER AVAILABLE

The MO085 described as a large glass front panel, at the bottom of the workstation in the front - standard feature. This panel is featured on the Mopec website [www.mopec.com](http://www.mopec.com) in the MG100 video.

ADDITIONAL GRID PLATES ARE AVAILABLE